


Power Led Wallwasher



mykslight Lighting Fixtures


OUTDOOR LIGHTING
COLLECTION

NW 120.03




LED W	3W Led		
MALZEME	ALÜMİNYUM PROFİL		
İŞIKLIK	TEMPERLİ CAM		
KORUMA SINIFI	IP67		
GİRİŞ VOLTAJ	220-240V/50Hz.		
COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C	COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C
2200K	450 lm.	Amber	317 lm.
2700K	450 lm.	Red	73 lm.
3000K	485 lm.	Blue	65 lm.
4000K	485 lm.	Green	225 lm.
6500K	517 lm.	Turkuaz	417 lm.
		Pink	97 lm.

NW 190.06




LED W	6W Led		
MALZEME	ALÜMİNYUM PROFİL		
İŞIKLIK	TEMPERLİ CAM		
KORUMA SINIFI	IP67		
GİRİŞ VOLTAJ	220-240V/50Hz.		
COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C	COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C
2200K	900 lm.	Amber	634 lm.
2700K	900 lm.	Red	146 lm.
3000K	970 lm.	Blue	130 lm.
4000K	970 lm.	Green	550 lm.
6500K	1028 lm.	Turkuaz	834 lm.
		Pink	194 lm.

NW 260.09






LED W	9W Led		
MALZEME	ALÜMİNYUM PROFİL		
İŞIKLIK	TEMPERLİ CAM		
KORUMA SINIFI	IP67		
GİRİŞ VOLTAJ	220-240V/50Hz.		
COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C	COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C
2200K	1350 lm.	Amber	951 lm.
2700K	1350 lm.	Red	219 lm.
3000K	1455 lm.	Blue	195 lm.
4000K	1455 lm.	Green	675 lm.
6500K	1551 lm.	Turkuaz	1251 lm.
		Pink	291 lm.



NW 335.12






LED W	12W Led		
MALZEME	ALÜMİNYUM PROFİL		
İŞIKLIK	TEMPERLİ CAM		
KORUMA SINIFI	IP67		
GİRİŞ VOLTAJ	220-240V/50Hz.		
COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C	COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C
2200K	1800 lm.	Amber	1268 lm.
2700K	1800 lm.	Red	292 lm.
3000K	1940 lm.	Blue	260 lm.
4000K	1940 lm.	Green	1100 lm.
6500K	2056 lm.	Turkuaz	1668 lm.
		Pink	388 lm.

NW 495.18

LED W	18W Led			
MALZEME	ALÜMİNYUM PROFİL			
İŞIKLIK	TEMPERLİ CAM			
KORUMA SINIFI	IP67			
GİRİŞ VOLTAJ	220-240V/50Hz.			
COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C	COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C	
2200K	2700 lm.	Amber	1902 lm.	
2700K	2700 lm.	Red	438 lm.	
3000K	2910 lm.	Blue	390 lm.	
4000K	2910 lm.	Green	1350 lm.	
6500K	3102 lm.	Turkuaz	2502 lm.	
		Pink	582 lm.	

NW 650.24

LED W	24W Led			
MALZEME	ALÜMİNYUM PROFİL			
İŞIKLIK	TEMPERLİ CAM			
KORUMA SINIFI	IP67			
GİRİŞ VOLTAJ	220-240V/50Hz.			
COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C	COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C	
2200K	3600 lm.	Amber	2536 lm.	
2700K	3600 lm.	Red	584 lm.	
3000K	3880 lm.	Blue	520 lm.	
4000K	3880 lm.	Green	2200 lm.	
6500K	4112 lm.	Turkuaz	3336 lm.	
		Pink	776 lm.	

NW 950.36

LED W	36W Led			
MALZEME	ALÜMİNYUM PROFİL			
İŞIKLIK	TEMPERLİ CAM			
KORUMA SINIFI	IP67			
GİRİŞ VOLTAJ	220-240V/50Hz.			
COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C	COLOR CCT (Kelvin)	Luminous Flux (lm) Tp : 25 °C	
2200K	5400 lm.	Amber	3804 lm.	
2700K	5400 lm.	Red	876 lm.	
3000K	5820 lm.	Blue	780 lm.	
4000K	5820 lm.	Green	3300 lm.	
6500K	6168 lm.	Turkuaz	5004 lm.	
		Pink	1164 lm.	



nykslight▲
Lighting Fixtures

tasarlıyoruz, üretiyoruz

PROJE ve TEKNİK OFİS

Cevizlik Mah. İstanbul Cad. Muhasebeci Sok.
No: 8/A Bakırköy - İSTANBUL

Tel : +90 212 481 55 74
Gsm : +90 533 683 59 15

E-mail : nyks@nykslighting.com
nykslighting@gmail.com

İMALAT

Cebeci Mah. 2577. Sokak. No:17-17/A
Sultangazi- İSTANBUL

Tel: +90 533 430 0517

E-mail : imalat@nykslighting.com
E-mail : imalat@nykslighting.com

www.nykslight.com